

# CONTENTS



Preface .....	xiii	<b>Chapter 3: A Streamlined Model</b> .....	55
<b>Chapter 1: Kicking the Tires</b> .....	1	Introduction .....	56
Arbortext Editor's native formatting language .....	2	Practical FOSI design principles .....	56
Layout- versus document-based formatting .....	2	Practical FOSI examples .....	58
Interactive versus batch formatting .....	2	<b>Chapter 4: Rules of the Road</b> .....	65
FOSI formatting features .....	3	Value types .....	66
Authoring and publishing FOSIs .....	3	Units of measurement .....	68
FOSI interfaces .....	3	Spacing specifications .....	69
<b>Chapter 2: How It Works</b> .....	5	Keywords .....	75
FOSI standard .....	6	Syntax .....	114
FOSI structure .....	6	<b>Chapter 5: Loaded with Extras</b> .....	119
FOSI compilation .....	7	Variables .....	120
FOSI formatting properties .....	9	Pseudo-elements .....	136
Block versus inline elements .....	27	FOSI-generated content .....	146
Input and output structures .....	28	<b>Chapter 6: Controls</b> .....	247
Formatting process .....	29	Conventions .....	248
Specifying FOSI characteristics and defaults .....	30	Outspec (Output Specification) .....	249
Resolving FOSI formatting specifications .....	40	Rsrcdesc (Resource Description) .....	250

Secdesc (Security Description) .....	280	FOSI quality assurance .....	652
Pagedesc (Page Description) .....	284	FOSI documentation .....	653
Styldesc (Style Description) .....	354	Revising a FOSI stylesheet .....	655
Ftndesc (Footnote Description) .....	524		
<b>Chapter 7: Stunts</b> .....	531	<b>Chapter 10: Troubleshooting</b> .....	657
Accessing suppressed text .....	532	Formatting faults .....	658
Accessing suppressed graphics .....	535	Troubleshooting aids in FOSI interfaces .....	666
Using a “bitmap” counter variable to apply formatting .....	539	FAQs for formatting problems .....	668
Using a “bitmap” string variable to apply formatting ..	544		
Creating rounded corner boxes .....	547	<b>Chapter 11: Under the Hood</b> .....	673
Creating striped change bars .....	549	Default FOSIs .....	674
		FOSI formatting engine .....	674
<b>Chapter 8: How To Get There from Here</b> .....	551	Cache files .....	675
How to output PDF links, bookmarks, document properties, and viewer settings .....	552	Layout configurations .....	677
How to print with crop marks .....	570	Arbortext processing instructions .....	679
How to output two languages side by side .....	571	Arbortext namespace tags .....	722
How to output student and teacher versions .....	576	Formatting pass reduction .....	770
How to determine if an element has content .....	583	Tables .....	786
How to force a verso page at the end of a document ..	587	Graphics .....	798
How to output superscripts and subscripts .....	589	Equation Editor .....	800
How to use an attribute value for the first page number .....	595	TEX .....	802
How to output bleed tabs .....	597	File►Save as HTML .....	810
How to generate change level markings and LEP .....	604	Arbortext Command Language .....	811
How to number lines of type .....	611	Edit window commands and functions .....	822
How to output page layout debugging information ..	614	Style panels keyboard shortcuts .....	823
How to create modular FOSIs .....	616	FOSI tagged editor commands/functions .....	824
How to support “lights out” formatting .....	620		
		<b>Appendix A: Printing Basics</b> .....	825
<b>Chapter 9: Behind the Wheel</b> .....	623	<b>Appendix B: Arbortext Editor’s OutSpec DTD</b> ...	851
Project information .....	624	<b>Appendix C: Other Resources</b> .....	869
FOSI design .....	629	<b>Index</b> .....	871
Developing a FOSI stylesheet .....	629		

# TABLES



1. Composition categories and characteristics .....	11	21. Locmarkuppriority='bold, #NONE' .....	195
2. Matching context path to context string .....	16	22. Locmarkuppriority='bold, #NONE' .....	195
3. Pagination categories and characteristics .....	20	23. Indexing error messages .....	238
4. Attribute specification categories and characteristics .....	35	24. Outspec attributes .....	249
5. ID, IDREF, or IDREFS characteristics .....	68	25. Rsrcdesc characteristics .....	250
6. FOSI units of measurement .....	69	26. Hyphrule characteristics .....	253
7. Attname when attloc="SYSTEM-VAR" .....	94	27. Languages with distributed hyphenation files ..	256
8. #ANY, #NONE, #NONZERO .....	95	28. Charfill characteristics .....	262
9. #EQ#, #NE#, #GE#, #GT#, #LE#, #LT# .....	96	29. Counter characteristics .....	270
10. Leftfind syntax .....	115	30. Stringdecl characteristics .....	274
11. Firstln indent syntax .....	115	31. Floatloc characteristics .....	278
12. Rightfind syntax .....	116	32. Secdesc characteristics .....	280
13. Savetext conrule and usetext source syntax .....	117	33. Sectoken characteristics .....	282
14. Supported counter modifiers .....	122	34. Pageset characteristics .....	285
15. Types of pseudo-elements .....	137	35. Rectopg characteristics .....	291
16. Generated text placement in Edit window .....	149	36. Pagespec characteristic .....	304
17. Preliminary index markup .....	174	37. Pageref characteristic .....	305
18. Final index markup .....	181	38. Topmarg characteristic .....	308
19. Supported index configuration languages .....	186	39. Botmarg characteristic .....	310
20. Locmarkuppriority examples .....	195	40. Leftmarg characteristic .....	312
		41. Rtmarg characteristic .....	314

---

42. Header characteristics .....	316	80. Fillval characteristics .....	514
43. Footer characteristics.....	320	81. Specval characteristics.....	521
44. Region characteristics .....	324	82. FOSIs and referenced entities.....	619
45. Flowtext characteristics .....	337	83. Testing justification .....	632
46. Column characteristics .....	343	84. Testing indention .....	632
47. Gutter characteristic .....	347	85. Testing wraparound graphic .....	632
48. Footnote characteristics.....	350	86. Testing page layouts .....	632
49. Charsubset characteristics .....	355	87. Testing optional elements.....	633
50. Envdesc characteristic.....	358	88. Testing repeatable elements.....	633
51. e-i-c attributes.....	361	89. Testing context.....	633
52. Charlist characteristics.....	370	90. Testing nesting.....	634
53. Font characteristics .....	373	91. Testing occurrence.....	634
54. Leading characteristics.....	378	92. Testing attributes .....	634
55. Hyphen characteristics .....	381	93. FOSI naming conventions .....	652
56. Highlt characteristics.....	384	94. Formatting faults.....	659
57. Suppress characteristic .....	388	95. Stylesheet association PI.....	681
58. Quadding characteristics .....	392	96. <_texmac> and <_texmacpair> PIs.....	683
59. Indent characteristics.....	396	97. Touchup PIs .....	686
60. Span characteristics .....	403	98. Touchup PIs in generated text .....	687
61. Algroup characteristics.....	406	99. <_link> <i>link control</i> attributes .....	708
62. Sentxsp characteristics .....	419	100. <_link> <i>font</i> attributes.....	709
63. Wordsp characteristics .....	423	101. <_target> attribute.....	709
64. Presp characteristics.....	426	102. <_gtlink> attribute .....	715
65. Adjacency priorities .....	428	103. Change tracking metdata markup .....	723
66. Postsp characteristics.....	430	104. Change tracking markup.....	724
67. Textbrk characteristics .....	434	105. Change tracking common attributes.....	724
68. Keeps characteristics .....	440	106. Atipl singleton tags.....	744
69. Boxing characteristics .....	448	107. Shared atipl attributes .....	745
70. Chgmark .....	452	108. Atipl attributes.....	746
71. Float characteristics .....	459	109. <Atipl:startline> <i>typemask</i> attribute values.....	746
72. Link characteristic .....	469	110. Atipl flags bit mask.....	760
73. Ruling characteristics .....	472	111. HTML table attributes support.....	794
74. Putgraph characteristics .....	480	112. Edit window commands/functions.....	822
75. Enumerat characteristics.....	484	113. Style panels keyboard shortcuts .....	823
76. Reset characteristic .....	489	114. FOSI tagged editor commands and functions ..	824
77. Savetext characteristics .....	494	115. Distinctive characters .....	832
78. Usetext characteristics.....	500	116. 10pt numerals with descenders.....	833
79. Att characteristic.....	512	117. 10pt baseline numerals.....	833

# FIGURES

---



1. Examples of context and occurrence .....	14	21. Repeating categories appended to charlist .....	43
2. eicorderispriority="0" .....	17	22. Charlist and category inherit attribute matrix .....	45
3. Eicorderispriority="1" .....	18	23. Inheritance and defaulting flow chart .....	47
4. Page Layout Areas .....	25	24. Inheriting font famname characteristic .....	48
5. Float Areas .....	26	25. Defaulting famname characteristic .....	48
6. Element order reversed .....	28	26. Defaulting ruling characteristics .....	49
7. Document tree traversal .....	29	27. Successful attribute rule overrides charlist coding .....	50
8. Charlist with indent category .....	31	28. Charsubsets instead of charlist coding .....	50
9. Usetext subchars with font .....	32	29. Successful attribute rule overrides charlist coding .....	51
10. Useful charsubsets .....	32	30. Successful attribute rule appends repeating category .....	52
11. Charsubset names act as comments .....	34	31. Pseudo-element for attribute rule .....	53
12. Charsubsetref and subchars .....	34	32. Unconditional attribute rule .....	54
13. Attribute value suppresses element content .....	37	33. Simplified charlist and category inherit attribute matrix .....	57
14. Usetext outputs attribute value .....	37	34. <i>Practical FOSI</i> inheritance and defaulting flowchart .....	58
15. Attribute value used as highlight font color .....	38	35. Context-specific inherited font posture .....	58
16. Missing characteristics default to emvdesc .....	39	36. The complexity of theoretical FOSI .....	60
17. Charlist references envdesc and charsubsets .....	39		
18. Primary formatting coded in the document description .....	40		
19. Charlist coding overrides charsubset reference .....	42		
20. Last charsubset reference wins .....	42		

---

37. The simplicity of Practical FOSI.....	63	70. HTML output without html-only.....	110
38. Re-define charsubsets to support different formatting.....	64	71. Html-only specifies a lighter rule weight.....	110
39. Spacing specification in writing direction.....	70	72. Fillval with #FOSI.....	111
40. Spacing specification opposite of writing direction.....	70	73. Specval with #ITEM#.....	112
41. “Tab stops” in Edit window.....	71	74. Counter incremented and output.....	123
42. Nested lists with left-aligned hanging numbers.....	72	75. Arabic numbers changed to uppercase Roman numerals.....	123
43. Nested lists with right-aligned hanging numbers.....	74	76. Leading zeroes in Edit window.....	123
44. Minimal FOSI.....	76	77. First title.txt on page.....	127
45. #XREF for multiple cross reference strings.....	78	78. Title.txt value at page top.....	128
46. Blackjack algorithm with “go to”.....	80	79. Title.txt at page bottom.....	129
47. IDREFS cross references with page number.....	82	80. Page top through page bottom title.txt.....	129
48. Output element name and content.....	84	81. Title.txt at page top through page bottom.....	130
49. Attribute value as content.....	85	82. [FB] in page footer.....	131
50. #XPATHCONTENT and <_sfe:CollectionItem>.....	85	83. Page numbers in a TOC.....	132
51. #XPATHNODESET returns document tags.....	86	84. Character entity in stringdecl.....	132
52. #SETATTR sets gentext tag attribute to document attribute value.....	87	85. String saved to an appended string.....	132
53. #Ftnfill bottom-aligns footnotes.....	89	86. String variables output “Sheet n of m”.....	133
54. Matching attribute and string variable generate change bar.....	97	87. Formatting pseudo-elements in a savetext conrule.....	137
55. Compare a NUMBER attribute to a counter.....	98	88. Footnotes saved for output as end notes.....	138
56. SYSTEM-FUNC substring for page headers.....	99	89. Double-line boxing.....	139
57. SYSTEM-FUNC supports hanging punctuation.....	100	90. Double-line boxing with gentext.....	139
58. Fosivar_value passes counter value to ACL function.....	101	91. Formatting problems with non-inheriting pseudo-element.....	140
59. Paragraph numbering with optional <title>.....	103	92. Occurrence with pseudo-elements.....	142
60. Third element outputs horizontal rule.....	104	93. Pseudo-element tests string variable.....	145
61. Comparing two counter variables with #FOSI.....	105	94. Optimizing gentext display.....	149
62. Comparing two string variables with #FOSI.....	106	95. Gentext before and after tag pair in Edit window.....	150
63. Strings are not evaluated as numbers.....	106	96. Gentext before and after singleton.....	151
64. Symbols for footnotes.....	107	97. Gentext before graphic in Edit window.....	155
65. #XPATH with fillval.....	108	98. Gentext after graphic in Edit window.....	155
66. Attloc="#XPATH".....	108	99. Gentext before and after graphic in Edit window.....	155
67. Attname is environment variable.....	109	100. Gentext before and after graphic in print/PDF.....	155
68. Editor-only, print-only, html-only.....	109	101. Shaded box (gentable) in Edit window.....	156
69. Print/PDF output.....	110	102. Generated table of parts information.....	157
		103. Graphics generated from tag pair (Edit window display).....	159

104. Graphic generated from singleton (Edit window display).....	160	136. Estonian.chr .....	210
105. DTD graphic element instead of Putgraph.....	160	137. Default index configuration.....	213
106. External ASCII file with print report .....	162	138. SYSTEM-FUNC for lowercase index entries .....	216
107. Generated structured HTML file .....	165	139. <Title> elements in index.....	217
108. Rounded corners in FOSI-generated HTML.....	166	140. Eliminating page numbers for level one index entries .....	218
109. Preliminary index markup — one-level index...	175	141. Page numbers for level one index entries .....	218
110. Two-level preliminary index with gentext tags.....	176	142. Alphabetically sorted glossary output with algroup .....	219
111. Preliminary index with formatting and tags ...	177	143. Alphabetically sorted glossary output as gentable .....	222
112. Preliminary index with formatting and no tags.....	178	144. Incorrect numerical sorting.....	223
113. Range of page numbers.....	178	145. Correct numerical sorting with “sort as” attribute.....	224
114. <Chapter> and <section> numbering in Edit window .....	179	146. One-level index sorted by a specified letter.....	226
115. Chapter and section numbering as locators .....	180	147. Sorting by a subsequent level heading .....	227
116. Formatted final two-level index.....	182	148. Section numbers as locators .....	229
117. Final index in Edit window .....	184	149. Compound page numbers as index page locators .....	231
118. Final index markup in Edit window .....	185	150. Different index page numbering styles merged.....	232
119. Default merging of multiple page numbers in an index entry.....	190	151. Different index page numbering styles not merged.....	233
120. Three-level final index with mergeinhibit=3, -3, 2, and -2.....	191	152. Graphics in sorted list .....	234
121. Three-level final index with mergeinhibit=1 and -1.....	192	153. Generating “cont'd” at column breaks in an index .....	236
122. Retain word spaces in index entries .....	193	154. Suppressed index entry in page headers .....	237
123. Retain leading spaces in index entries .....	193	155. Minleft="1" minpush="2".....	258
124. Trim embedded spaces.....	194	156. Minleft="2" minpush="3".....	258
125. Use leading punctuation for sorting.....	194	157. Brkafchr="- @ / ." .....	259
126. Default “see” and “see also” placement (seeorder=1) .....	197	158. Unbreakable string oversets column width.....	260
127. Seeorder=0.....	200	159. Brkalways works when hyphenation is off.....	260
128. Seeorder=2.....	201	160. Mincount affects line breaking with charfill .....	264
129. “See” with page locator and “see also” .....	202	161. Unaligned charfill.....	265
130. Range in Russian.col.....	207	162. Aligned charfill .....	266
131. Charmap in Spanish.col.....	208	163. Line break within charfill .....	267
132. Charmap in Croatian.col .....	209	164. Repeated character entity placemnt="after" .....	267
133. Charmap in German.col.....	209	165. Repeated character entity placemnt="before" .....	268
134. Ignore in Greek.col .....	209	166. Three-character charfill.....	269
135. Order in ScandW.col.....	209	167. Counter declarations.....	272

---

168. Counter incremented and saved.....	272	203. Sectext for document and page .....	335
169. Counters for current page and following blank page .....	272	204. Flowing Text Area.....	340
170. String variable declarations .....	275	205. Flowtext shift with rightind and leftind.....	341
171. Time-independent variable for <caption> .....	275	206. Column Area .....	345
172. Hotlinked <title> in Edit window .....	276	207. Balanced columns .....	346
173. Hotlinked <title> in Edit window with gentext tags displayed .....	277	208. Gutter Area.....	348
174. Column topfloat, flowtext bofloat.....	279	209. Gutters for two- and three-column layouts .....	349
175. Security scoped to page.....	282	210. Footnote text flows up .....	351
176. Page model processing.....	287	211. One-column Footnote Area .....	352
177. Landscape figures in a portrait document .....	289	212. Two-column Footnote Area .....	353
178. Wide portrait document, not landscape .....	290	213. Charsubsets in pagedesc.....	356
179. Required rectopg page model.....	294	214. Envdescs and docdesc with boxing .....	359
180. Versopg page model follows required rectopg ..	295	215. XML input for occurrence examples .....	363
181. Intentionally blank page .....	297	216. Occurrence: all.....	364
182. “Next Page Blank” on page before blank page ..	299	217. Occurrence: only, all .....	364
183. “Previous Page Blank” on page after blank page .....	300	218. Occurrence: only, first, middle, last.....	365
184. Declaring, incrementing, and saving a page number .....	301	219. Occurrence: first, middle, last.....	365
185. Pageres resets page number .....	302	220. Occurrence: only, first, notfirst .....	366
186. Pagespec with header and footer .....	304	221. Occurrence: first, notfirst .....	367
187. Blankpg pageref.....	305	222. Occurrence: only, last, notlast .....	367
188. Pageref with different header.....	306	223. Occurrence: last, notlast .....	368
189. Top Margin Area.....	309	224. Font style .....	376
190. Bottom Margin Area .....	311	225. Font famname.....	376
191. Left Margin Area .....	313	226. Small caps .....	377
192. Right Margin Area .....	315	227. Leading in docdesc .....	379
193. Header Area .....	317	228. Relative leading in docdesc.....	379
194. Boxed one-line header .....	318	229. Leading less than font size.....	379
195. Footer Area .....	321	230. “Just enough” leading.....	380
196. Compound numbering in page footer .....	322	231. Two hyphenation languages.....	382
197. Region on a page model .....	326	232. Specifying “raggedness” with hyphen zone .....	383
198. “Draft” overlay .....	327	233. Named colors .....	386
199. Underlay/watermark.....	328	234. RGB colors .....	386
200. Rotated title in page region .....	329	235. Double underscoring .....	387
201. Page border with regions .....	330	236. Suppressed child elements.....	389
202. Figure repeats on each page with continuing table.....	331	237. Quad="left" lquad="relative".....	394
		238. Quad="left" lquad="left".....	394
		239. Asis alignment in Edit window.....	394
		240. Indents relative to element and parent element .....	397
		241. Indent relative to parent's first line indent .....	398



242. Inherited indent in table cells.....	399	282. Invisible rule as anchor point .....	478
243. Three-column list .....	403	283. Putgraph rotation="0" .....	482
244. Refpoint="first" .....	408	284. Putgraph rotation="270" .....	482
245. Refpoint="bottom" .....	409	285. Putgraph rotation="450" .....	483
246. Refpoint="last" .....	411	286. Incrementing a counter (Edit window view) .....	486
247. Equal-width columns .....	411	287. Set a counter then increment it (Edit window view) .....	487
248. TOC with mixed algroup refpoints.....	413	288. XPath for increment value (Edit window view) ..	488
249. Wraparound graphic .....	416	289. Section numbering in Edit window.....	490
250. Word space after EOS punctuation .....	420	290. Compound page numbering .....	491
251. Extra space after abbreviations.....	421	291. <Title> output at end of <section> .....	495
252. Monospaced font and extra EOS spacing .....	421	292. Appended time-independent variable generates a TOC .....	496
253. Monospaced font and no extra EOS spacing.....	422	293. Infinite loop .....	497
254. All caps text with standard word spacing.....	424	294. String modifiers with TO_FL_ALL_SAVES .....	498
255. All caps text with increased word spacing .....	424	295. Numbered <item>s in a <list> (Edit window view) .....	501
256. Space above title .....	428	296. Authoring FOSI displays messages for users (Edit window view) .....	502
257. Postsp followed by presp.....	431	297. Footnotes in header and TOC .....	504
258. Forced column break in Edit window .....	436	298. Footnotes suppressed from header and TOC ....	506
259. Specifying a new pageset.....	436	299. Footnotes suppressed from header and TOC in Edit window view with gentext tags displayed .....	507
260. Run-in title .....	436	300. Print report in external ASCII file .....	508
261. Forcing a new column.....	437	301. Unconditional attribute rule.....	513
262. Double-page spread with foldout page.....	438	302. Attribute value used as font size.....	516
263. Hard keeps for line breaking .....	443	303. Attribute value saved and used (Edit window view) .....	516
264. Soft keeps for column and page breaking .....	444	304. Attribute value saved and used in same e-i-c ...	517
265. Inline boxing.....	450	305. New initial value for a styldesc counter (Edit window view) .....	518
266. Display boxing .....	451	306. Fillval for cross referencing (Edit window view) ..	520
267. Change Mark Areas .....	454	307. Regular- and large-print formatting .....	522
268. Change bars with left/right placement .....	455	308. Attname is ACL variable.....	523
269. Multiple change levels .....	456	309. e-i-cs in ftndesc flow up the page.....	527
270. Paired SGML singleton change elements.....	457	310. Footnotes and references to footnotes.....	528
271. Once-only floats .....	462	311. Suppressing child element content and processing .....	532
272. Out-of-order figure numbering .....	464	312. Capturing suppressed child element content....	533
273. Partial-width floats.....	465		
274. Repeating float for continued title.....	467		
275. Hard-coded link in Edit window .....	469		
276. Attribute-based link in Edit window.....	470		
277. Column-wide ruling.....	474		
278. Text-area ruling .....	475		
279. Specific length ruling.....	475		
280. Inline ruling.....	476		
281. Block ruling .....	477		

---

313. #FOSI comparison “un-suppresses” a graphic... 536	345. Superscripts inherit all caps..... 593
314. Testing a bitmap counter..... 540	346. Superscripts without all caps..... 594
315. Testing a “bitmap” string variable (Edit window view) ..... 544	347. Set a new initial value for a pagedesc counter .. 595
316. Rounded corner boxing ..... 547	348. Bleed tabs for alphabetical sections..... 598
317. “Striped” change bars..... 549	349. Preview Extended Pages display ..... 598
318. Gentext is hard-coded link..... 555	350. Bleed tabs with number ranges..... 600
319. Authored internal PDF link ..... 558	351. Bleed tabs move down the page..... 600
320. Authored external PDF links..... 558	352. Bleed tabs cycle to top of page..... 601
321. Authored link to a URL..... 559	353. Preview Extended Pages display ..... 601
322. <Title> elements and pseudo-element generate PDF bookmarks..... 562	354. Double-page spread bleed tabs..... 602
323. PDF bookmark with gentext and content..... 564	355. Change level in footer and LEP..... 605
324. PDF bookmark without gentext ..... 565	356. Exported LEPs ..... 610
325. PDF bookmark with only gentext ..... 566	357. Line numbering in Edit window ..... 612
326. Formatted <atidmd> markup in Edit window ... 567	358. Conditional debugging strings ..... 614
327. <atidmd:DocInfo> specifies PDF document properties ..... 568	359. Modular FOSI with SGML file entities (Edit window view) ..... 618
328. <Atidmd:DocView> specifies PDF window properties ..... 569	360. Publishing Goals Checklist ..... 624
329. Unbreakable side-by-side blocks..... 571	361. Formatting analysis..... 628
330. Breakable side-by-side blocks ..... 571	362. Various ways to specify formatting in a FOSI stylesheet ..... 635
331. Side-by-side paragraphs in two languages..... 572	363. Font in docdesc..... 638
332. Side-by-side element groups..... 573	364. Leading in docdesc ..... 638
333. Swap language columns..... 574	365. Hyphen in docdesc..... 638
334. Student and teacher versions (Edit window) ... 576	366. Wordsp in docdesc ..... 639
335. Student and teacher versions (formatted output)..... 577	367. Indents for nested lists ..... 640
336. #FOSI tests if element has content (Edit window view) ..... 583	368. Quadding in docdesc..... 640
337. #FOSI formats #CONTENT when present (Edit window view) ..... 584	369. Highlt in docdesc ..... 641
338. #FOSI displays “EMPTY TITLE” in Edit window ..... 585	370. Code orphanct and widowct in docdesc..... 642
339. SYSTEM-FUNC checks for empty element..... 586	371. Empty textbrk defaults ..... 642
340. ACL variable tells FOSI to add another page ... 587	372. Block charsubset reference ..... 642
341. Super- and subscripts in “solid” text..... 589	373. Span in docdesc..... 643
342. Super- and subscripts with extra leading..... 591	374. Boxing in docdesc ..... 644
343. Super- and subscripts with underlining..... 592	375. Reset in docdesc ..... 644
344. Super- and subscripts in titles ..... 592	376. Enumerat in docdesc..... 645
	377. Putgraph in docdesc ..... 646
	378. Ruling in docdesc..... 647
	379. Savetext in docdesc..... 648
	380. Save the page number where content is output..... 669
	381. Rigid layout configuration ..... 678

382. Page model layout configuration overrides rsrccdesc setting .....	678	414. Layout.dtd.....	733
383. StylesheetID PI (Edit window view) .....	681	415. .layout file for document with graphic, footnote, equation, hyphenation, and table .....	739
384. Authoring and publishing FOSI stylesheet associations .....	682	416. Page layout markup in .xml file with graphic, footnote, equation, hyphenation, and table .....	747
385. <_texmac> PI outputs vertical space .....	683	417. Default formatting for ctipi markup.....	749
386. e-i-c for <_texmac> PI (Edit window view) .....	684	418. Horizontal rule before each line in a paragraph.....	761
387. <_texmac> PI inline equation.....	684	419. One trademark symbol per page.....	763
388. <_texmacpair> PI display equation.....	684	420. Atidmd DTD.....	764
389. Default formatting for <_font> PI .....	689	421. <Atidmd:BookMark> specifies closed PDF bookmarks .....	767
390. Default formatting for <_touchup> PI.....	693	422. <Atidmd:BookMark> specifies open PDF bookmarks .....	770
391. Deep content splitting for part of a document...	702	423. Edit window display with zero underfull tolerance.....	776
392. Touchup PIs in XML.....	702	424. Gentext tags with zero underfull tolerance.....	776
393. <_font> and <_kern> in Edit window and print/PDF .....	703	425. Formatting pass reduction draft print.....	777
394. Saved <_newline> removed from TOC .....	703	426. Allpasses print option bypasses pass reduction ..	778
395. Saved <_touchup> PI is output in TOC .....	704	427. Overlay fails with zero underflow tolerance .....	779
396. <_touchup> and <_font> PIs disabled by e-i-cs ...	705	428. Overlay succeeds with underflow tolerance of one digit .....	780
397. Formatting coded for <_font> PI e-i-c (Edit window view) .....	705	429. Poor spacing with compound page numbers.....	781
398. <_touchup> outputs change bar in repeating float.....	705	430. Better spacing with compound page numbers...	782
399. Repeating categories in <_touchup> e-i-c .....	706	431. Incorrect formatting with one formatting pass.....	784
400. E-i-c for <_link> affects print/PDF output.....	710	432. Pagedesc variable for <section> letters .....	785
401. User-defined tag formatted with e-i-c .....	712	433. Table displayed in Arbortext Editor .....	788
402. User-defined tag based on <_touchup> PI .....	712	434. Table in print/PDF output .....	788
403. <_display> PI pseudo-element.....	714	435. entry-eic.fos .....	788
404. Struck-through graphic in Edit window .....	715	436. row-eic.fos.....	789
405. Default formatting for <_gtlink> PI.....	716	437. tablecell-eic.fos.....	789
406. TOC gentext with links in Edit window .....	716	438. table-eic.fos.....	789
407. TOC gentext without links in Edit window.....	717	439. tablerow-eic.fos .....	789
408. Pseudo-attribute changes formatting specs.....	719	440. tbody-eic.fos .....	789
409. Pseudo-attribute for starting numbers (Edit window view) .....	720	441. tfoot-eic.fos .....	789
410. Authoring/editing instructions in the Edit window .....	721	442. tgroup-eic.fos .....	790
411. Default formatting for ctict markup.....	726	443. thead-eic.fos.....	790
412. Change tracking markup in Edit window.....	729	444. Built-in formatting for custom table .....	791
413. Custom FOSI e-i-cs for change tracking markup .....	730	445. FOSI formatting for custom table .....	792

---

446. htmltable-eic.fos .....	794	467. Do you want to read this? .....	826
447. htmltbody-eic.fos .....	795	468. Character design .....	827
448. htmltfoot-eic.fos .....	795	469. Serifs .....	827
449. htmlthead-eic.fos .....	795	470. Century Expanded character set .....	828
450. td-eic.fos .....	795	471. Font examples .....	829
451. th-eic.fos .....	795	472. Garamond fonts .....	830
452. tr-eic.fos .....	795	473. Oblique .....	830
453. Hanging indent in table cells in one column .....	797	474. Upright and italic .....	830
454. Generated row count in table cells in first column .....	797	475. 72pt capital “T” .....	831
455. Inline graphic with no e-i-c .....	799	476. Proportional versus monospaced .....	831
456. Graphic attribute values specify formatting .....	799	477. Hyphenated word in justified text .....	835
457. Inline equation .....	800	478. Justification without hyphenation .....	835
458. Default formatting for inline equation .....	800	479. Indents .....	836
459. Display equation .....	801	480. Justified text .....	837
460. Default formatting for display equations .....	801	481. Quad left title and ragged right flowing text ...	837
461. T <sub>E</sub> X element in Edit window .....	806	482. Quad right title and ragged left flowing text ...	837
462. Print/PDF output of T <sub>E</sub> X element as pseudo-element .....	807	483. Quad center title and ragged center flowing text .....	837
463. T <sub>E</sub> X passthru and FOSI string in usetext source .....	807	484. Verso and recto pages .....	838
464. Rotated table cell .....	808	485. Widow line .....	839
465. T <sub>E</sub> X in a .tmx file marks oversets .....	809	486. Orphan line .....	840
466. ACL variable sets element’s font color in the Edit window .....	821	487. Z- versus L-paging .....	841
		488. Balanced versus unbalanced columns .....	842
		489. Last page is balanced .....	843