


To Shrink Database Transaction Log

Stop Windchill

1. Stop the below service in the application server

Windchill Server




The screenshot shows the Windows Services console. The 'Services' window is open, displaying a list of services. The 'Windchill Server' service is selected and highlighted in blue. The service is currently 'Started' and has an 'Automatic' startup type. The description for the Windchill Server service is 'JavaService utility runs Java applications as services. See http://javaservice.objectweb.org'.


Name	Description	Status	Startup Type	Log On As
SPP Notification Service	Provides S...		Manual	Local Service
SSDP Discovery	Discovers ...	Started	Automatic	Local Service
System Event Notification Service	Monitors s...	Started	Automatic	Local System
Task Scheduler	Enables a ...	Started	Automatic	Local System
TCP/IP NetBIOS Helper	Provides s...	Started	Automatic	Local Service
Telephony	Provides T...		Manual	Network S...
Thread Ordering Server	Provides or...		Manual	Local Service
TPM Base Services	Enables ac...		Manual	Local Service
Triumfant Agent	v5.0.0.485...	Started	Automatic	Local System
UPnP Device Host	Allows UPn...	Started	Automatic	Local Service
User Profile Service	This servic...	Started	Automatic	Local System
Virtual Disk	Provides m...		Manual	Local System
VMTools	Provides s...	Started	Automatic	Local System
Volume Shadow Copy	Manages a...		Manual	Local System
Windchill Apache	Apache/2....	Started	Automatic	DSC\WCS...
Windchill Directory Server	Next Gene...	Started	Automatic	Local System
Windchill Server	JavaServic...	Started	Automatic	DSC\WCS...

Back Up Database


1. Log on to database server
2. Launch SQL Server management studio and logon as SA
3. Expand databases and right click on "wind" database
4. GoTo Tasks > Backup




5. Select Wind database and backup type as "Full"
6. Select a destination file




7. Click on Ok and wait for the backup to complete



8. Follow the same steps for transaction log backup




9. Click on ok and wait for the backup




Shrink the database transaction log

1. Once the backup is completed, again right click on wind database
2. Goto Tasks > Shrink > Files
3. Select the file group as log



4. Click on ok



5. Click on ok
6. View the free space in the shrink window

